

BL fixFORM RC Series

Indoor Recessed Aluminium Extrusion
Designed for use with BL flexFORM Series

20

Printed



Please note that these instructions are guidelines only and in no way supersede any construction or installation standards.



Local building and electrical codes should be consulted before installation.

ATTENTION

- There is potential danger of electrical shock when operating electrical components.
- Make sure power is turned off before installation.
- Allow for heat dissipation and adequate ventilation.

SPRING CLIP

Grips behind drywall and other recessable surfaces



TIP: Minimum two Spring Clips per section recommended for secure fit behind drywall.

PROJECT

CLIENT

TYPE

Solid State Lighting is sensitive to power fluctuations
Surge protection is highly recommended for all LED lighting products and should be on a designated circuit to protect against premature failure
Lack of surge protection may void your warranty

For more information, please download the
BL LIGHTING catalogue

BL LIGHTING. ILLUMINATE EVERYTHING

111 - 8838 Heather St. Vancouver, BC, Canada. V6P 3S8
P: 1-604-874-4405 F: 1-604-321-0445 E: info@bllighting.com
Copyright © 2017 BL INNOVATIVE LIGHTING. All Rights Reserved.

bllighting.com



BL fixFORM RC Series

Indoor Recessed Aluminium Extrusion
Designed for use with **BL flexFORM** Series

20

Printed



Please note that these instructions are guidelines only and in no way supersede any construction or installation standards.


Local building and electrical codes should be consulted before installation.

ATTENTION

- There is potential danger of electrical shock when operating electrical components.
- Make sure power is turned off before installation.
- Allow for heat dissipation and adequate ventilation.



TRACK CONNECTOR

For securing two or more sections together





A TC180

Multi-Track Connector, Flat 180°




B TCX90

Multi-Track Connector, In/Out 90°



C TCF90

Multi-Track Connector, Flat 90°



PROJECT

CLIENT

TYPE

Solid State Lighting is sensitive to power fluctuations
Surge protection is highly recommended for all LED lighting products and should be on a designated circuit to protect against premature failure
Lack of surge protection may void your warranty

For more information, please download the
BL LIGHTING catalogue

BL LIGHTING. ILLUMINATE EVERYTHING

111 - 8838 Heather St. Vancouver, BC, Canada. V6P 3S8
P: 1-604-874-4405 F: 1-604-321-0445 E: info@bllighting.com
Copyright © 2017 BL INNOVATIVE LIGHTING. All Rights Reserved.

bllighting.com

