

BL flexFORM


Flexible, Linear LED Strip Lighting
Tunable White, 24VDC, Constant Voltage

TUNABLE Series

Printed

DMX

RJ45



*All devices in a DMX512 system must be connected in a "daisy chain" fashion.

PROJECT

CLIENT

TYPE

Solid State Lighting is sensitive to power fluctuations
Surge protection is highly recommended for all LED lighting products and should be on a designated circuit to protect against premature failure
Lack of surge protection may void your warranty

For more information, please download the
BL LIGHTING catalogue

BL LIGHTING. ILLUMINATE EVERYTHING

111 - 8838 Heather St. Vancouver, BC, Canada. V6P 3S8
P: 1-604-874-4405 E: info@blighting.com
Copyright © BL INNOVATIVE LIGHTING. All Rights Reserved.

blighting.com



BL flexFORM


Flexible, Linear LED Strip Lighting
Tunable White, 24VDC, Constant Voltage

TUNABLE Series

Printed

DMX

RJ45



PROJECT

CLIENT

TYPE

Solid State Lighting is sensitive to power fluctuations
Surge protection is highly recommended for all LED lighting products and should be on a designated circuit to protect against premature failure
Lack of surge protection may void your warranty

For more information, please download the
BL LIGHTING catalogue

BL LIGHTING. ILLUMINATE EVERYTHING

111 - 8838 Heather St. Vancouver, BC, Canada. V6P 3S8
P: 1-604-874-4405 E: info@blighting.com
Copyright © BL INNOVATIVE LIGHTING. All Rights Reserved.

blighting.com



BL flexFORM


Flexible, Linear LED Strip Lighting
Tunable White, 24VDC, Constant Voltage

TUNABLE Series

Printed

DMX

RJ45



PROJECT

CLIENT

TYPE

Solid State Lighting is sensitive to power fluctuations
Surge protection is highly recommended for all LED lighting products and should be on a designated circuit to protect against premature failure
Lack of surge protection may void your warranty

For more information, please download the
BL LIGHTING catalogue

BL LIGHTING. ILLUMINATE EVERYTHING

111 - 8838 Heather St. Vancouver, BC, Canada. V6P 3S8
P: 1-604-874-4405 E: info@blighting.com
Copyright © BL INNOVATIVE LIGHTING. All Rights Reserved.

blighting.com



BL flexFORM


Flexible, Linear LED Strip Lighting
Tunable White, 24VDC, Constant Voltage

TUNABLE Series


Printed

DMX

RJ45



RJ45 Cable DMX IN
From Master Controller



Pin1 : Data+
Pin2 : Data-
Pin7 : GND
Pin8 : GND

RJ45 Cable DMX OUT
To Next BL CONTROLS Decoder RDM Series

*All devices in a DMX512 system must be connected in a "daisy chain" fashion.

PROJECT

CLIENT

TYPE

Solid State Lighting is sensitive to power fluctuations
Surge protection is highly recommended for all LED lighting products and should be on a designated circuit to protect against premature failure
Lack of surge protection may void your warranty

For more information, please download the
BL LIGHTING catalogue

BL LIGHTING. ILLUMINATE EVERYTHING

111 - 8838 Heather St. Vancouver, BC, Canada. V6P 3S8
P: 1-604-874-4405 E: info@blighting.com
Copyright © BL INNOVATIVE LIGHTING. All Rights Reserved.

blighting.com

