BL neonVIEW
Diffused, Flexible, Linear LED Lighting
Flat Profile, 24VDC, Constant Voltage

FT Series

Printed Dec.20.2018

DMX

HARD WIRE



*All devices in a DMX512 system must be connected in a "**daisy chain**" fashion.

PROJECT | CLIENT | TYPE

Solid State Lighting is sensitive to power fluctuations
Surge protection is highly recommended for all LED lighting products and should be on a designated circuit to protect against premature failure
Lack of surge protection may void your warranty

For more information, please download the **BL LIGHTING** catalogue

BL LIGHTING. ILLUMINATE EVERYTHING
111 - 8838 Heather St. Vancouver, BC. Canada. V6P 3S8
P: 1-604-874-4405 E: info@bllighting.com
Copyright © BL INNOVATIVE LIGHTING. All Rights Reserved.

bllighting.com

BL neonVIEW

Diffused, Flexible, Linear LED Lighting
Flat Profile, 24VDC, Constant Voltage

FT Series

Printed Dec.20.2018

DMX

HARD WIRE



PROJECT

CLIENT

TYPE

Solid State Lighting is sensitive to power fluctuations
Surge protection is highly recommended for all LED lighting products and should be on a designated circuit to protect against premature failure
Lack of surge protection may void your warranty

For more information, please download the **BL LIGHTING** catalogue

BL LIGHTING. ILLUMINATE EVERYTHING
111 - 8838 Heather St. Vancouver, BC. Canada. V6P 3S8
P: 1-604-874-4405 E: info@bllighting.com
Copyright © BL INNOVATIVE LIGHTING. All Rights Reserved.

bllighting.com

BL neonVIEW

Diffused, Flexible, Linear LED Lighting
Flat Profile, 24VDC, Constant Voltage

FT Series

Printed Dec.20.2018

DMX

HARD WIRE



PROJECT | CLIENT | TYPE

Solid State Lighting is sensitive to power fluctuations
Surge protection is highly recommended for all LED lighting products and should be on a designated circuit to protect against premature failure
Lack of surge protection may void your warranty

For more information, please download the **BL LIGHTING** catalogue

BL LIGHTING. ILLUMINATE EVERYTHING
111 - 8838 Heather St. Vancouver, BC. Canada. V6P 3S8
P: 1-604-874-4405 E: info@bllighting.com
Copyright © BL INNOVATIVE LIGHTING. All Rights Reserved.

bllighting.com

BL neonVIEW

Diffused, Flexible, Linear LED Lighting
Flat Profile, 24VDC, Constant Voltage

FT Series

Printed Dec.20.2018

DMX

HARD WIRE



*All devices in a DMX512 system must be connected in a "**daisy chain**" fashion.

PROJECT | CLIENT | TYPE

Solid State Lighting is sensitive to power fluctuations
Surge protection is highly recommended for all LED lighting products and should be on a designated circuit to protect against premature failure
Lack of surge protection may void your warranty

For more information, please download the **BL LIGHTING** catalogue

BL LIGHTING. ILLUMINATE EVERYTHING
111 - 8838 Heather St. Vancouver, BC. Canada. V6P 3S8
P: 1-604-874-4405 E: info@bllighting.com
Copyright © BL INNOVATIVE LIGHTING. All Rights Reserved.

bllighting.com