


## BL inGROUND

Recessed, Encapsulated Linear LED Luminaire  
Mono or Polychromatic, 24VDC

## LNR9939

Printed

### STANDARD (NON-DIM)



PROJECT

CLIENT

TYPE

Solid State Lighting is sensitive to power fluctuations  
Surge protection is highly recommended for all LED lighting products and should be on a designated circuit to protect against premature failure  
Lack of surge protection may void your warranty

For more information, please download the  
**BL LIGHTING** catalogue

BL LIGHTING. ILLUMINATE EVERYTHING

111 - 8838 Heather St. Vancouver, BC, Canada. V6P 3S8  
P: 1-604-874-4405 F: 1-604-321-0445 E: info@blighting.com  
Copyright © BL INNOVATIVE LIGHTING. All Rights Reserved.

blighting.com



## BL inGROUND

Recessed, Encapsulated Linear LED Luminaire  
Mono or Polychromatic, 24VDC

## LNR9939

Printed

### STANDARD (NON-DIM)

BL POWER SP UNI  
100 - 277VAC, Surge Protector

Green (GND)

White (N)

Black (L)

MAIN POWER SUPPLY  
Input

Green (GND)

White (N)

Black (L)

BL inGROUND  
LNR9939

Red (+)

Blue (-)

BL LED Driver  
24VDC

PROJECT

CLIENT

TYPE

Solid State Lighting is sensitive to power fluctuations  
Surge protection is highly recommended for all LED lighting products and should be on a designated circuit to protect against premature failure  
Lack of surge protection may void your warranty

For more information, please download the  
BL LIGHTING catalogue

BL LIGHTING. ILLUMINATE EVERYTHING

111 - 8838 Heather St. Vancouver, BC, Canada. V6P 3S8  
P: 1-604-874-4405 F: 1-604-321-0445 E: info@blighting.com  
Copyright © BL INNOVATIVE LIGHTING. All Rights Reserved.

blighting.com




**BL inGROUND**

Recessed, Encapsulated Linear LED Luminaire  
Mono or Polychromatic, 24VDC

**LNR9939**

Printed

**0-10V DIM**



PROJECT

CLIENT

TYPE

Solid State Lighting is sensitive to power fluctuations  
Surge protection is highly recommended for all LED lighting products and should be on a designated circuit to protect against premature failure  
Lack of surge protection may void your warranty

For more information, please download the  
**BL LIGHTING** catalogue

BL LIGHTING. ILLUMINATE EVERYTHING

111 - 8838 Heather St. Vancouver, BC, Canada. V6P 3S8  
P: 1-604-874-4405 F: 1-604-321-0445 E: info@bllighting.com  
Copyright © BL INNOVATIVE LIGHTING. All Rights Reserved.

[bllighting.com](http://bllighting.com)



## BL inGROUND

Recessed, Encapsulated Linear LED Luminaire  
Mono or Polychromatic, 24VDC

## LNR9939

Printed

### 0-10V DIM

**BL POWER SP UNI**  
100 - 277VAC, Surge Protector

Green (GND)

White (N)

Black (L)

**MAIN POWER SUPPLY**  
Input

Green (GND)

White (N)

Black (L)


Red (+)

Blue (-)

**BL inGROUND**  
LNR9939

Pink (+)

Gray (-)



PROJECT

CLIENT

TYPE

Solid State Lighting is sensitive to power fluctuations  
Surge protection is highly recommended for all LED lighting products and should be on a designated circuit to protect against premature failure  
Lack of surge protection may void your warranty

For more information, please download the  
**BL LIGHTING** catalogue

BL LIGHTING. ILLUMINATE EVERYTHING

111 - 8838 Heather St. Vancouver, BC, Canada. V6P 3S8  
P: 1-604-874-4405 F: 1-604-321-0445 E: info@blighting.com  
Copyright © BL INNOVATIVE LIGHTING. All Rights Reserved.

blighting.com




## BL inGROUND

Recessed, Encapsulated Linear LED Luminaire  
Mono or Polychromatic, 24VDC

## LNR9939

Printed

### ELV DIM



PROJECT

CLIENT

TYPE

Solid State Lighting is sensitive to power fluctuations  
Surge protection is highly recommended for all LED lighting products and should be on a designated circuit to protect against premature failure  
Lack of surge protection may void your warranty

For more information, please download the  
BL LIGHTING catalogue

BL LIGHTING. ILLUMINATE EVERYTHING

111 - 8838 Heather St. Vancouver, BC, Canada. V6P 3S8  
P: 1-604-874-4405 F: 1-604-321-0445 E: info@blighting.com  
Copyright © BL INNOVATIVE LIGHTING. All Rights Reserved.

blighting.com



## BL inGROUND

Recessed, Encapsulated Linear LED Luminaire  
Mono or Polychromatic, 24VDC

## LNR9939

Printed

### ELV DIM

BL POWER SP UNI  
100 - 277VAC, Surge Protector

Green (GND)

White (N)

Black (L)

MAIN POWER SUPPLY  
Input

Green (GND)

White (N)

Black (L)

Red (+)

Purple (-)

BL inGROUND  
LNR9939

Red (+)

Purple (-)

White (N)

Black (L)

BL LED Driver ELV  
24VDC

PROJECT

CLIENT

TYPE

Solid State Lighting is sensitive to power fluctuations  
Surge protection is highly recommended for all LED lighting products and should be on a designated circuit to protect against premature failure  
Lack of surge protection may void your warranty

For more information, please download the  
BL LIGHTING catalogue

BL LIGHTING. ILLUMINATE EVERYTHING

111 - 8838 Heather St. Vancouver, BC, Canada. V6P 3S8  
P: 1-604-874-4405 F: 1-604-321-0445 E: info@blighting.com  
Copyright © BL INNOVATIVE LIGHTING. All Rights Reserved.

blighting.com



## BL inGROUND

Recessed, Encapsulated Linear LED Luminaire  
Mono or Polychromatic, 24VDC

## LNR9939

Printed

### DMX

**BL POWER SP UNI**  
100 - 277VAC, Surge Protector

**MAIN POWER SUPPLY**  
Input

**Master DMX**  
Controller

**BL inGROUND**  
LNR9939

**BL CONTROLS**  
Decoder RDM

PROJECT

CLIENT

TYPE

Solid State Lighting is sensitive to power fluctuations  
Surge protection is highly recommended for all LED lighting products and should be on a designated circuit to protect against premature failure  
Lack of surge protection may void your warranty

For more information, please download the  
**BL LIGHTING** catalogue

BL LIGHTING. ILLUMINATE EVERYTHING

111 - 8838 Heather St. Vancouver, BC, Canada. V6P 3S8  
P: 1-604-874-4405 F: 1-604-321-0445 E: info@bllighting.com  
Copyright © BL INNOVATIVE LIGHTING. All Rights Reserved.

**bllighting.com**




## BL inGROUND

Recessed, Encapsulated Linear LED Luminaire  
Mono or Polychromatic, 24VDC

## LNR9939

Printed

### DMX



PROJECT

CLIENT

TYPE

Solid State Lighting is sensitive to power fluctuations  
Surge protection is highly recommended for all LED lighting products and should be on a designated circuit to protect against premature failure  
Lack of surge protection may void your warranty

For more information, please download the  
BL LIGHTING catalogue

BL LIGHTING. ILLUMINATE EVERYTHING

111 - 8838 Heather St. Vancouver, BC, Canada. V6P 3S8  
P: 1-604-874-4405 F: 1-604-321-0445 E: info@blighting.com  
Copyright © BL INNOVATIVE LIGHTING. All Rights Reserved.

blighting.com





## BL inGROUND

Recessed, Encapsulated Linear LED Luminaire  
Mono or Polychromatic, 24VDC

## LNR9939

Printed

**RGBW**


Red (-)

Green (-)

Yellow (+)

Blue (-)

White (-)



BL CONTROLS  
Decoder RDM

PROJECT

CLIENT

TYPE

Solid State Lighting is sensitive to power fluctuations  
Surge protection is highly recommended for all LED lighting products and should be on a designated circuit to protect against premature failure  
Lack of surge protection may void your warranty

For more information, please download the  
BL LIGHTING catalogue

BL LIGHTING. ILLUMINATE EVERYTHING

111 - 8838 Heather St. Vancouver, BC, Canada. V6P 3S8  
P: 1-604-874-4405 F: 1-604-321-0445 E: info@blighting.com  
Copyright © BL INNOVATIVE LIGHTING. All Rights Reserved.

blighting.com

