



## **BL driveLINE FH Series**

Standard LED Driver 60W, 100W Constant Voltage, 24VDC 60, 100

Printed



## MAIN POWER SUPPLY INPUT



PROJECT	CLIENT	TYPE

Solid State Lighting is sensitive to power fluctuations
Surge protection is highly recommended for all LED lighting products and should be on a designated circuit to protect against premature failure
Lack of surge protection may void your warranty

For more information, please download the **BL LIGHTING** catalogue



III - 8838 Heather St. Vancouver, BC. Canada. V6P 3S8 P: 1-604-874-4405 F: 1-604-321-0445 E: info@bllighting.com Copyright © 2017 BL INNOVATIVE LIGHTING. All Rights Reserved.









## BL driveLINE FH Series Dimming LED Driver (0-10V)

20W, Constant Voltage, 24VDC

2010

Printed





PROJECT	CLIENT	TVDF
PROJECT	CLIEIVI	ITPE

Solid State Lighting is sensitive to power fluctuations
Surge protection is highly recommended for all LED lighting products and should be on a designated circuit to protect against premature failure
Lack of surge protection may void your warranty

For more information, please download the **BL LIGHTING** catalogue











## **BL driveLINE FH Series**

Dimming LED Driver (0-10V) 60W,75W Constant Voltage, 24VDC 6010, 7510

Printed





PROJECT	CLIENT	TYPE

Solid State Lighting is sensitive to power fluctuations
Surge protection is highly recommended for all LED lighting products and should be on a designated circuit to protect against premature failure
Lack of surge protection may void your warranty

For more information, please download the **BL LIGHTING** catalogue





