



BL driveLINE HT Series	10	Printed
Standard LED Driver		
10W. Constant Voltage, 24VDC		






Landina		1 = 10=
PROJECT	CLIENT	TYPE

Solid State Lighting is sensitive to power fluctuations
Surge protection is highly recommended for all LED lighting products and should be on a designated circuit to protect against premature failure
Lack of surge protection may void your warranty

For more information, please download the **BL LIGHTING** catalogue










## BL driveLINE HT Series Standard LED Driver 24W, Constant Voltage, 24VDC

| 24

Printed



## Black (L) White (N) PRIMARY (100VAC - 277VAC) BL driveLINE, SPUNI 100 - 277VAC, Surge Protector

PROJECT	CLIENT	TYPE

Solid State Lighting is sensitive to power fluctuations
Surge protection is highly recommended for all LED lighting products and should be on a designated circuit to protect against premature failure
Lack of surge protection may void your warranty

For more information, please download the **BL LIGHTING** catalogue








Standard LED Driver

**BL driveLINE HT Series** 

60W, 100W Constant Voltage, 24VDC

60, 100

Printed



## Black (L) White (N) Green (GND) PRIMARY (100VAC - 277VAC) BL driveLINE, SPUNI 100 - 277VAC, Surge Protector

PROJECT	CLIENT	TYPE

Solid State Lighting is sensitive to power fluctuations
Surge protection is highly recommended for all LED lighting products and should be on a designated circuit to protect against premature failure
Lack of surge protection may void your warranty

For more information, please download the **BL LIGHTING** catalogue



III - 8838 Heather St. Vancouver, BC. Canada. V6P 3S8 P: 1-604-874-4405 F: 1-604-321-0445 E: info@bllighting.com Copyright © 2017 BL INNOVATIVE LIGHTING. All Rights Reserved.

