


Back Lead





0 80mm

CAD Drawing subject to change without notice.



End Lead




Flat Select Tunable

BL Neonview

Diffused, Flexible, Linear LED Lighting,
24VDC, Constant Voltage,
Flat Profile, Silicone, Tunable White



Right Side Lead



0 80mm

CAD Drawing subject to change without notice.

BL LIGHTING

ILLUMINATE EVERYTHING

111 - 8838 Heather St. Vancouver, BC, Canada. V6P 3S8

P: 1-604-874-4405 E: info@bllighting.com

Copyright © BL INNOVATIVE LIGHTING. All Rights Reserved.

For more information,
please download the
BL LIGHTING catalog



bllighting.com

Flat Select Tunable

BL Neonview


Diffused, Flexible, Linear LED Lighting,
24VDC, Constant Voltage,
Flat Profile, Silicone, Tunable White



BL LIGHTING
SINCE 1986

End Cap

11.5
[0.45"]




21.0
[0.83"]



11.5
[0.45"]



13.0
[0.51"]



0 60mm



CAD Drawing subject to change without notice.

BL LIGHTING

ILLUMINATE EVERYTHING

111 - 8838 Heather St. Vancouver, BC, Canada. V6P 3S8

P: 1-604-874-4405 E: info@bllighting.com

Copyright © BL INNOVATIVE LIGHTING. All Rights Reserved.

For more information,
please download the
BL LIGHTING catalog

bllighting.com

